



Science Arts & Métiers (SAM)

is an open access repository that collects the work of Arts et Métiers Institute of Technology researchers and makes it freely available over the web where possible.

This is an author-deposited version published in: <https://sam.ensam.eu>
Handle ID: <http://hdl.handle.net/10985/23347>

To cite this version :

Hadrien POSTORINO, Marc REBILLAT, Nazih MECHBAL, Eric MONTEIRO - Transfer Learning to close the gap between experimental and numerical data - 2022

Any correspondence concerning this service should be sent to the repository

Administrator : scienceouverte@ensam.eu



Title	Transfer Learning to close the gap between experimental and numerical data
Author keywords	Transfer Learning Optimal Transport Deep learning Convolutional Neural Network Lamb Wave
Topics	Structural Health Monitoring, TS - Operational Monitoring using Airframe Digital Twins in Aerospace
Abstract	<p>The deployment of Deep Learning (DL) strategies is particularly advantageous in Structural Health Monitoring (SHM) based of lamb Wave (LW) propagation due to the high quantity of data collected by the network of piezoelectric transducers (PZT) during all the life cycle of the composite structure. However, such strategies rely on large training databases, difficult to collect experimentally. The use of numerical simulations faces that issue, but the models never fit perfectly to the real structures, leading to error of diagnostic.</p> <p>We propose here to use Transfer Learning (TL) approaches to reduce the predictions errors of a Convolutional Neural Network (CNN) trained with numerical data. The network predicts the size and the position of a damage on a composite plate equipped with PZT. It is trained on a large source database composed of different damage scenarios on a composite plate. A second smaller target database is generated with small variations on the mechanic properties and PZT positions to simulate manufacturing uncertainties. Those uncertainties lead to prediction errors of the CNN. A Domain Adaptation (DA) based on Optimal Transport (OT) is used to project the target data on the source domain and therefore reduces the predictions error of the CNN. These TL approach should allow us to close the gap between experimental and numerical data.</p>

Authors							
first name	last name	email	country	affiliation	Web page	corresponding?	presenter
Hadrien	Postorino	hadrien.postorino@ensam.eu	France	PIMM, Arts et Metiers Institute of Technology, CNRS, Cnam,		✓	✓

Eric	Monteiro	eric.monteiro@ensam.eu	France	HESAM University PIMM, Arts et Metiers Institute of Technology, CNRS, Cnam, HESAM University		
Marc	Rebillat	marc.rebillat@ensam.eu	France	PIMM, Arts et Metiers Institute of Technology, CNRS, Cnam, HESAM University		
Nazih	Mechbal	nazih.mechball@ensam.eu	France	PIMM, Arts et Metiers Institute of Technology, CNRS, Cnam, HESAM University		